

T O R O N T O L A K E - R E S E R V O I R A C C O U N T I N G

Calendar Year 2021

Date	2010 Survey Results		INFLOW	OUTFLOW	PRECIP	EVAP	Inactive Pool (Elev. 896')					Reserve Capacity				Water Quality/Supply									
	EOM Elevation (MSL)	EOM Storage (AF)					Monthly Inflow (AF)	Monthly Outflow (AF)	Monthly Precip. (inches)	Reservoir Evap. (AF)	Inflow Share (AF)	Use (AF)	Evap. Share (AF)	EOM Storage (%)	EOM Storage (AF)	Inflow Share (AF)	Use (AF)	Evap. Share (AF)	EOM Storage (%)	EOM Storage (AF)	Inflow Share (AF)	Use (AF)	Evap. Share (AF)	EOM Storage (%)	EOM Storage (AF)
	901.50	16,528																							
Jan	907.49	34,355	22,604	5,744	2.74	178	0	0	0	100%	6,809	20	0	0	100%	363	135	0	0	100%	9,356				
Feb	902.16	18,015	15,055	29,905	0.19	192	0	0	0	100%	6,809	0	0	0	100%	363	0	0	0	100%	9,356				
Mar	902.44	18,678	108,577	106,736	4.99	766	0	0	0	100%	6,809	0	0	0	100%	363	0	0	0	100%	9,356				
Apr	903.56	21,400	15,987	12,490	2.51	709	0	0	0	100%	6,809	0	0	0	100%	363	0	0	0	100%	9,356				
May	903.27	20,676	27,749	27,997	3.43	514	0	0	0	100%	6,809	0	0	0	100%	363	23	22	1	100%	9,356				
Jun	911.03	48,330	33,174	6,054	8.29	1,153	0	0	0	100%	6,809	0	0	0	100%	363	0	0	0	100%	9,356				
Jul	901.91	17,437	79,935	107,726	6.89	1,418	0	0	0	100%	6,809	0	0	0	100%	363	0	0	0	100%	9,356				
Aug	902.11	17,897	15,868	14,388	5.01	1,021	0	0	0	100%	6,809	0	0	0	100%	363	0	0	0	100%	9,356				
Sep																									
Oct																									
Nov																									
Dec																									
TOTAL			318,949	311,041	34.05	5951	0	0	0			20	0	0			158	22	1						

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Inactive Pool -Storage below elevation 896 feet. Exempt from accounting unless below elevation 896 feet. Potential emergency use.
 Water Marketing - Storage between elevation 896 feet and 901.5 feet, dedicated to serving customers of the Water Marketing Program.
 Water Quality - Storage between elevation 896 feet and 901.5 feet, that is managed jointly by the USACE and the KWO and is used to serve downstream water quality needs.