

E L K C I T Y L A K E - R E S E R V O I R A C C O U N T I N G

Calendar Year 2026

Date	Conservation Pool 2024 Survey Results		INFLOW	OUTFLOW	PRECIP	EVAP	Reserve Capacity					Water Marketing				Water Quality					
	EOM Elevation (MSL)	EOM Storage (AF)					Monthly Inflow (AF)	Monthly Outflow (AF)	Monthly Precip. (inches)	Reservoir Evap. (AF)	Inflow Share (AF)	Use (AF)	Evap. Share (AF)	EOM Storage (%) (AF)	Inflow Share (AF)	Use (AF)	Evap. Share (AF)	EOM Storage (%) (AF)	Inflow Share (AF)	Use (AF)	Evap. Share (AF)
	796.00	34,399																			
	796.54	36,477									9,793				19,762					4,843	
Jan	796.33	35,692	10,999	11,137	0.51	687	0	0	0	100%	9,793	0	0	0	100%	19,762	0	0	0	100%	4,843
Feb	796.27	35,340	8,817	8,208	0.89	938	0	0	0	100%	9,793	0	0	0	100%	19,762	0	0	0	100%	4,843
Mar	796.26	35,379	17,732	16,045	0.90	1,587	0	0	0	100%	9,793	0	0	0	100%	19,762	0	0	0	100%	4,843
Apr																					
May																					
Jun																					
Jul																					
Aug																					
Sep																					
Oct																					
Nov																					
Dec																					
TOTAL			37,548	35,390	2.30	3212	0	0	0			0	0	0			0	0	0		

AF - Acre Feet
 EOM - End of Month
 Evap. - Evaporation
 Precip. - Precipitation
 MSL - Mean Sea Level

Reserve Capacity - Storage that is owned by the State but is not dedicated to either the Water Marketing or Water Assurance programs.
 Water Marketing - Storage dedicated to serving customers of the Water Marketing Program, sufficient for a drought having a 2% chance occurrence.
 Water Conservation Plan triggers issued by KWO are based on remaining Water Marketing Storage, as follows:
 Water Watch: 75% Water Warning & Emergency: No specific remaining storage threshold. KWO will issue if any monitored drought indicator is observed to be more severe than the 2% chance condition.
 Water Quality - Storage that is managed jointly by is observed to be more severe than the 2% chance condition.